



QXJY.EX28311 - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

See General Information for Centrifugal Fire Pumps, Split Case

SAUDI FACTORY FOR FIRE EQUIPMENT CO

EX28311

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 SAUDI ARABIA

Fire pumps, single stage

Rated Capacity (gpm)	Size (in.)	Model Dsg	Rated Net Pressure Range (psi)	Approx Speed (rpm)	Max Working Pressure (psi)
150	6x4	SFP150-25SH	114-208	3500	300
150	6x4	SFP150-25SH	121-220	3600	300
150	6x4	SFP150-40SM	206-289	2900	385
150	6x4	SFP150-40SM	221-310	3000	385
150	6x4	SFP150-SN31SH	226-316	3500	405
150	6x4	SFP150-SN31SH	239-334	3600	405
150	5x3	SFP150-28SM	101-156	2900	239
150	5x3	SFP150-28SM	108-167	3000	239
150	5x3	SFP150-35SM	125-224	2900	318
150	5x3	SFP150-35SM	133-240	3000	318
200	6x4	SFP200-25SH	114-207	3500	300
200	6x4	SFP200-25SH	121-219	3600	300
200	6x4	SFP200-40SM	206-289	2900	385
200	6x4	SFP200-40SM	220-309	3000	385
200	6x4	SFP200-SN31SH	226-317	3500	405
200	6x4	SFP200-SN31SH	239-335	3600	405
200	5x3	SFP200-28SM	101-156	2900	239
200	5x3	SFP200-28SM	108-167	3000	239

200	5x3	SFP200-35SM	124-224	2900	318
200	5x3	SFP200-35SM	133-240	3000	318
250	6x4	SFP250-25SH	114-207	3500	300
250	6x4	SFP250-25SH	121-219	3600	300
250	6x4	SFP250-40SM	206-288	2900	385
250	6x4	SFP250-40SM	220-308	3000	385
250	6x4	SFP250-SN31SH	226-317	3500	405
250	6x4	SFP250-SN31SH	239-335	3600	405
250	5x3	SFP250-28SM	101-156	2900	239
250	5x3	SFP250-28SM	108-167	3000	239
250	5x3	SFP250-35SM	123-223	2900	318
250	5x3	SFP250-35SM	132-239	3000	318
300	5x3	SFP300-35SM	122-222	2900	319
300	5x3	SFP300-35SM	131-237	3000	319
300	6x4	SFP300-25SH	114-206	3500	300
300	6x4	SFP300-25SH	121-219	3600	300
300	6x4	SFP300-40SM	206-286	2900	385
300	6x4	SFP300-40SM	220-307	3000	385
300	6x4	SFP300-SN31SH	226-316	3500	405
300	6x4	SFP300-SN31SH	239-334	3600	405
300	5x3	SFP300-28SM	100-156	2900	239
300	5x3	SFP300-28SM	107-167	3000	239
400	5x3	SFP400-35SM	120-219	2900	319
400	5x3	SFP400-35SM	129-234	3000	319
400	5x3	SFP400-28SM	98-155	2900	239
400	5x3	SFP400-28SM	105-166	3000	239
400	6x4	SFP400-25SH	114-206	3500	300
400	6x4	SFP400-25SH	120-218	3600	300
400	6x4	SFP400-40SM	206-285	2900	385
400	6x4	SFP400-40SM	221-305	3000	385
400	6x4	SFP400-SN31SH	225-314	3500	405

400	6x4	SFP400-SN31SH	238-332	3600	405
450	6x4	SFP 450-37SM-2G	220-293	2900	410
450	6x4	SFP 450-37SM-2G	236-315	3000	410
450	5x3	SFP450-28SM	96-155	2900	239
450	5x3	SFP450-28SM	104-166	3000	239
450	6x4	SFP450-25SH	114-206	3500	300
450	6x4	SFP450-25SH	120-218	3600	300
450	6x4	SFP450-40SM	205-284	2900	385
450	6x4	SFP450-40SM	220-304	3000	385
450	6x4	SFP450-SN31SH	224-313	3500	405
450	6x4	SFP450-SN31SH	237-331	3600	405
500	6x4	SFP 500-37SM-2G	216-296	2900	410
500	6x4	SFP 500-37SM-2G	233-314	3000	410
500	5x3	SFP500-37SM	134-233	2900	290
500	6x4	SFP500-31SM	137-203	2900	220
500	5x3	SFP500-28SM	94-154	2900	239
500	5x3	SFP500-28SM	102-165	3000	239
500	6x4	SFP500-25SH	113-205	3500	300
500	6x4	SFP500-25SH	120-217	3600	300
500	6x4	SFP500-32SM	119-198	2900	290
500	6x4	SFP500-32SM	128-212	3000	290
500	6x4	SFP500-40SM	204-284	2900	385
500	6x4	SFP500-40SM	219-304	3000	385
500	6x4	SFP500-SN31SH	224-312	3500	405
500	6x4	SFP500-SN31SH	237-330	3600	405
750	6x4	SFP 750-37SM-2G	202-276	2900	410
750	6x4	SFP 750-37SM-2G	218-298	3000	410
750	6x4	SFP750-31SM	131-201	2900	220
750	6x4	SFP750-25SH	106-199	3500	300
750	6x4	SFP750-25SH	113-211	3600	300
750	6x4	SFP750-32SM	111-194	2900	290

750	6x4	SFP750-32SM	120-208	3000	290
750	8x5	SFP750-29SM	148-182	2900	268
750	8x5	SFP750-29SM	159-196	3000	268
750	6x4	SFP750-40SM	199-281	2900	385
750	6x4	SFP750-40SM	214-301	3000	385
750	6x4	SFP750-SN31SH	218-309	3500	405
750	6x4	SFP750-SN31SH	231-327	3600	405
750	8x5	SFP750-12SH	148-266	3500	362
750	8x5	SFP750-12SH	157-281	3600	362
750	6x4	SFP750-EL31SH	190-290	3500	377
750	6x4	SFP750-EL31SH	201-306	3600	377
1000	8x5	SFP 1000-36SM-2G	180-290	2900	405
1000	8x5	SFP 1000-36SM-2G	194-310	3000	405
1000	6x4	SFP1000-31SM	134-195	2900	220
1000	8x5	SFP1000-29SM	143-181	2900	268
1000	8x5	SFP1000-29SM	154-194	3000	268
1000	8x5	SFP1000-30SM	98-172	2900	275
1000	8x5	SFP1000-30SM	106-185	3000	275
1000	6x4	SFP1000-40SM	191-272	2900	385
1000	6x4	SFP1000-40SM	206-292	3000	385
1000	8x5	SFP1000-12SH	146-264	3500	362
1000	8x5	SFP1000-12SH	155-280	3600	362
1000	8x5	SFP1000-15SH	152-205	3500	300
1000	8x5	SFP1000-15SH	160-217	3600	300
1000	8x5	SFP1000-36SM	163-278	2900	375
1000	8x5	SFP1000-36SM	175-298	3000	375
1000	6x4	SFP1000-EL31SH	187-289	3500	377
1000	6x4	SFP1000-EL31SH	199-306	3600	377
1250	8x5	SFP 1250-36SM-2G	171-281	2900	405
1250	8x5	SFP 1250-36SM-2G	184-302	3000	405
1250	8x6	SFP 1250-29SM-2G	95-156	2900	250

1250	8x6	SFP 1250-29SM-2G	102-167	3000	250
1250	8x5	SFP1250-29SM	137-177	2900	268
1250	8x5	SFP1250-29SM	148-191	3000	268
1250	8x5	SFP1250-30SM	94-170	2900	275
1250	8x5	SFP1250-30SM	101-182	3000	275
1250	8x5	SFP1250-12SH	207-264	3500	362
1250	8x5	SFP1250-12SH	219-279	3600	362
1250	8x6	SFP1250-15SH	150-205	3500	300
1250	8x6	SFP1250-15SH	159-217	3600	300
1250	8x5	SFP1250-36SM	155-278	2900	375
1250	8x5	SFP1250-36SM	168-298	3000	375
1250	6x4	SFP1250-EL31SH	178-287	3500	377
1250	6x4	SFP1250-EL31SH	190-304	3600	377
1500	8x6	SFP 1500-29SM-2G	100-155	2900	250
1500	8x6	SFP 1500-29SM-2G	105-167	3000	250
1500	12x10	SFP 1500-61SL5-2G	99-164	1480	260
1500	12x10	SFP 1500-61SL5-2G	101-168	1500	260
1500	12x10	SFP 1500-61SL6-2G	142-168	1760	260
1500	12x10	SFP 1500-61SL6-2G	149-176	1800	260
1500	8x5	SFP1500-30SM	88-167	2900	239
1500	8x5	SFP1500-30SM	95-179	3000	239
1500	8x6	SFP1500-15SH	149-207	3500	300
1500	8x6	SFP1500-15SH	158-218	3600	300
1500	8x5	SFP1500-36SM	153-275	2900	375
1500	8x5	SFP1500-36SM	164-295	3000	375
2000	8x6	SFP2000-15SH	145-203	3500	300
2000	8x6	SFP2000-15SH	154-215	3600	300
2000	8x6	SFP 2000-29SM-2G	95-152	2900	250
2000	8x6	SFP 2000-29SM-2G	103-163	3000	250
2000	12x10	SFP 2000-61SL5-2G	94-162	1480	260
2000	12x10	SFP 2000-61SL5-2G	97-166	1500	260

2000	12x10	SFP 2000-61SL6-2G	136-165	1760	260
2000	12x10	SFP 2000-61SL6-2G	142-173	1800	260
2500	8x6	SFP 2500-29SM-2G	89-145	2900	250
2500	8x6	SFP 2500-29SM-2G	95-156	3000	250
2500	12x10	SFP 2500-61SL5-2G	89-158	1480	260
2500	12x10	SFP 2500-61SL5-2G	92-162	1500	260
2500	12x10	SFP 2500-61SL6-2G	132-163	1760	260
2500	12x10	SFP 2500-61SL6-2G	139-170	1800	260
3000	12x10	SFP 3000-61SL5-2G	104-153	1480	260
3000	12x10	SFP 3000-61SL5-2G	108-157	1500	260
3000	12x10	SFP 3000-61SL6-2G	125-156	1760	260
3000	12x10	SFP 3000-61SL6-2G	131-164	1800	260
3500	12x10	SFP 3500-61SL5-2G	103-144	1485	260
3500	12x10	SFP 3500-61SL5-2G	106-148	1500	260
3500	12x10	SFP 3500-61SL6-2G	119-148	1760	260
3500	12x10	SFP 3500-61SL6-2G	125-156	1800	260

Trademark and/or Tradename:



Last Updated on 2020-03-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

QWZU.EX28310 - Centrifugal Fire Pumps, End Suction

Centrifugal Fire Pumps, End Suction

See General Information for Centrifugal Fire Pumps, End Suction

SAUDI FACTORY FOR FIRE EQUIPMENT CO

EX28310

2ND INDUSTRIAL AREA

AL-KHARJ RD

PO BOX 58469

RIYADH, 11515 SAUDI ARABIA

Rated Capacity GPM	Size In.	Model Dsg	Rated Net Pressure Range psi	Approx Speed RPM	Max Working Pressure psi
50	2.5X2	SFP-50-20 EM-2G	74-93	2900	180
50	2.5X2	SFP-50-20 EM-2G	79-99	3000	180
50	2 x 1-1/4	SFP 50-20 EM	68-87	2900	230
50	2 x 1-1/4	SFP 50-20 EH	101-129	3500	230
50	2 x 1-1/4	SFP 50-26 EM	115-140	2900	230
50	2 x 1-1/4	SFP 50-26 EH	163-206	3500	230
50	2-1/2 x 2	SFP 50-20 EHA	106-129	3500	230
50	3 x 2-1/2	SFP 50-20 EHB	108-121	3500	230
50	2-1/2 x 1-1/2	SFP 50-26 EMA	114-136	2900	230
50	2-1/2 x 1-1/2	SFP 50-42 EH	122-146	3000	230
50	2-1/2 x 1-1/2	SFP 50-40 EH	166-198	3500	230
100	2.5X2	SFP-100-20 EM-2G	72-92	2900	180
100	2.5X2	SFP-100-20 EM-2G	77-98	3000	180
100	2 x 1-1/4	SFP 100-20 EH	119	3500	230
100	2 x 1-1/4	SFP 100-26 EH	159-195	3500	230
100	2-1/2 x 2	SFP 100-50 EH	104-128	3500	230
100	2-1/2 x 1-1/2	SFP 100-26 EM	109-134	2900	230
100	2-1/2 x 1-1/2	SFP 100-42 EH	116-143	3000	230
100	2-1/2 x 1-1/2	SFP 100-40 EH	162-198	3500	230

100	3 x 2-1/2	SFP 100-20 EHB	108-24	3500	230
150	3X2	SFP-150-32 EM-2G	95-142	2900	239
150	3X2	SFP-150-32 EM-2G	102-153	3000	239
150	2.5X2	SFP-150-20 EM-2G	71-90	2900	180
150	2.5X2	SFP-150-20 EM-2G	76-97	3000	180
150	3X2.5	SFP-150-65 EM-2G	80-93	2900	180
150	3X2.5	SFP-150-65 EM-2G	86-99	3000	180
150	3 x 2-1/2	SFP 150-20 EH	108-128	3500	230
150	2-1/2 x 1-1/2	SFP 150-42 EH	124	2900	230
150	2-1/2 x 1-1/2	SFP 150-42 EH	107-135	3000	230
150	2-1/2 x 1-1/2	SFP 150-26 EH	156-191	3500	230
150	2-1/2 x 2	SFP 150-20 EHA	102-126	3500	230
200	3X2	SFP-200-32 EM-2G	89-139	2900	239
200	3X2	SFP-200-32 EM-2G	96-149	3000	239
200	3X2.5	SFP-200-65 EM-2G	79-91	2900	180
200	3X2.5	SFP-200-65 EM-2G	85-98	3000	180
200	3 x 2-1/2	SFP 200-20 EH	106-127	3500	230
200	2-1/2 x 2	SFP 200-20 EHA	96-120	3500	230
200	3 x 2-1/2	SFP 200-65 EM	115-136	2900	230
250	3 x 2-1/2	SFP 250-26 EM	113-134	2900	230
250	3 x 2-1/2	SFP 250-20 EH	103-124	3500	230
300	3 x 2-1/2	SFP 300-26 EM	110-132	2900	230
300	3 x 2-1/2	SFP 300-20 EH	101-123	3500	230
400	4 x 3	SFP 400-26 EM	110-133	2900	230
400	4 x 3	SFP 400-26 EH	191	3500	240
250	3X2	SFP-250-32 EM-2G	82-132	2900	239
250	3X2	SFP-250-32 EM-2G	89-143	3000	239
250	4X2.5	SFP-250-42 EM- 2G	87-146	2900	239
250	4X2.5	SFP-250-42 EM- 2G	94-156	3000	239
250	3X2.5	SFP-250-65 EM-2G	77-90	2900	180
250	3X2.5	SFP-250-65 EM-2G	83-97	3000	180

300	4X2.5	SFP- 300-42 EM- 2G	85-143	2900	239
300	4X2.5	SFP-300-42 EM- 2G	91-154	3000	239
300	3X2.5	SFP-300-65 EM-2G	75-90	2900	180
300	3X2.5	SFP-300-65 EM-2G	81-96	3000	180
400	5X3	SFP-400-31 EM-2G	134-218	2900	315
400	5X3	SFP-400-31 EM-2G	143-234	3000	315
400	5X3	SFP-400-25 EM- 2G	86-139	2900	235
400	5X3	SFP-400-25 EM- 2G	93-149	3000	235
400	5X4	SFP-400-54 EM-2G	137-215	2900	315
400	5X4	SFP-400-54 EM-2G	147-230	3000	315
400	4X2.5	SFP-400-42 EM- 2G	79-141	2900	239
400	4X2.5	SFP-400-42 EM- 2G	86-151	3000	239
400	4 x 3	SFP 400-32 EM	158-200	2900	250
400	4 x 3	SFP 400-80 EH	105 - 193	3500	235
450	5X3	SFP-450-31 EM-2G	131-217	2900	315
450	5X3	SFP-450-31 EM-2G	141-232	3000	315
450	5X3	SFP-450-25 EM- 2G	85-138	2900	235
450	5X3	SFP-450-25 EM- 2G	91-148	3000	235
450	5X4	SFP-450-54 EM-2G	136-214	2900	315
450	5X4	SFP-450-54 EM-2G	146-229	3000	315
450	4X2.5	SFP-450-42 EM- 2G	78-137	2900	239
450	4X2.5	SFP- 450-42 EM- 2G	84-148	3000	239
450	4 x 3	SFP 450-26 EM	109-132	2900	230
450	4 x 3	SFP 450-26 EH	188	3500	240
450	4 x 3	SFP 450-32 EM	154-198	2900	250
450	4 x 3	SFP 450-80 EH	102 - 190	3500	235
500	5X3	SFP-500-31 EM-2G	129-217	2900	315
500	5X3	SFP-500-31 EM-2G	139-232	3000	315
500	5X3	SFP-500-25 EM- 2G	83-136	2900	235
500	5X3	SFP-500-25 EM- 2G	90-146	3000	235
500	5X4	SFP-500-54 EM-2G	136-214	2900	315

500	5X4	SFP-500-54 EM-2G	146-229	3000	315
500	4X2.5	SFP-500-42 EM- 2G	143	3000	239
500	6X5	SFP-500-20 EM-2G	68-84	2900	175
500	6X5	SFP-500-20 EM-2G	73-90	3000	175
500	6X5	SFP-500-20 EH-2G	100-121	3500	210
500	6X5	SFP-500-20 EH-2G	105-128	3600	210
500	6X5	SFP-500-26 EM-2G	118-136	2900	230
500	6X5	SFP-500-26 EM-2G	126-146	3000	230
500	6X5	SFP-500-26 EH-2G	168-199	3500	290
500	6X5	SFP-500-26 EH-2G	178-210	3600	290
500	4 x 3	SFP 500-26 EM	108-131	2900	230
500	4 x 3	SFP 500-26 EH	185	3500	240
500	4 x 3	SFP 500-32 EM	149-194	2900	250
500	4 x 3	SFP 500-80 EH	99 - 188	3500	235
500	5 x 4	SFP 500-12 EM	111 - 133	2900	225
500	5 x 4	SFP 500-13 EM	122 - 210	2900	245
750	5 x 4	SFP 750-26 EM	102 - 127	2900	225
750	5 x 4	SFP 750-32 EM	122 - 207	2900	245
750	5X4	SFP-750-54 EM-2G	131-208	2900	315
750	5X4	SFP-750-54 EM-2G	141-223	3000	315
750	6X5	SFP-750-20 EM-2G	65-81	2900	175
750	6X5	SFP-750-20 EM-2G	70-87	3000	175
750	6X5	SFP-750-20 EH-2G	97-120	3500	210
750	6X5	SFP-750-20 EH-2G	103-127	3600	210
750	6X5	SFP-750-26 EM-2G	116-135	2900	230
750	6X5	SFP-750-26 EM-2G	125-145	3000	230
750	6X5	SFP-750-26 EH-2G	167-198	3500	290
750	6X5	SFP-750-26 EH-2G	177-210	3600	290
1000	5X4	SFP-1000-54 EM-2G	122-200	2900	315
1000	5X4	SFP-1000-54 EM-2G	132-215	3000	239
1000	6X5	SFP-1000-20 EM-2G	60-78	2900	175

1000	6X5	SFP-1000-20 EM-2G	65-84	3000	175
1000	6X5	SFP-1000-20 EH-2G	92-116	3500	210
1000	6X5	SFP-1000-20 EH-2G	98-123	3600	210
1000	6X5	SFP-1000-26 EM-2G	113-133	2900	230
1000	6X5	SFP-1000-26 EM-2G	121-143	3000	230
1000	6X5	SFP-1000-26 EH-2G	164-196	3500	290
1000	6X5	SFP-1000-26 EH-2G	174-208	3600	290

Trademark and/or Tradename:



Last Updated on 2020-03-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

QXXW.EX28309 - Centrifugal Fire Pumps, Vertical Turbine

Centrifugal Fire Pumps, Vertical Turbine

See General Information for Centrifugal Fire Pumps, Vertical Turbine

SAUDI FACTORY FOR FIRE EQUIPMENT CO

EX28309

2ND INDUSTRIAL AREA
AL-KHARJ RD
PO BOX 58469
RIYADH, 11515 SAUDI ARABIA

Rated Capacity gpm	Model Dsg	Rated Net Pressure Range psi	Approx Speed rpm	Stages
200	SFP-200-70VT	40-289	1480	2-12
200	SFP-200-70VT	48-348	1760	2-10
200	SFP-200-30VT	60-305	2900	2-6
200	SFP-200-30VT	63-323	2980	2-6
200	SFP-200-30VT	64-327	3000	2-6
200	SFP-750-70-VT	40 - 248	1480	2-10
250	SFP-250-70VT	40-290	1480	2-12
250	SFP-250-70VT	48-345	1760	2-10
250	SFP-250-30VT	60-299	2900	2-6
250	SFP-250-30VT	63-317	2980	2-6
250	SFP-250-30VT	64-321	3000	2-6
250	SFP-750-70-VT	40 - 248	1480	2-10
250	SFP-750-70-VT	48 - 351	1760	2-10
300	SFP-300-70VT	40-290	1480	2-12
300	SFP-300-70VT	47-341	1760	2-10
300	SFP-300-30VT	58-295	2900	2-6
300	SFP-300-30VT	61-312	2980	2-6
300	SFP-300-30VT	62-316	3000	2-6

300	SFP-750-70-VT	40 - 247	1480	2-10
300	SFP-750-70-VT	48 - 351	1760	2-10
400	SFP-400-70VT	40-283	1480	2-12
400	SFP-400-70VT	46-336	1760	2-10
400	SFP-400-30VT	54-285	2900	2-6
400	SFP-400-30VT	57-302	2980	2-6
400	SFP-400-30VT	58-306	3000	2-6
400	SFP-750-70-VT	40 - 244	1480	2-10
400	SFP-750-70-VT	46 - 349	1760	2-10
450	SFP-450-70VT	40-279	1480	2-12
450	SFP-450-70VT	45-333	1760	2-10
450	SFP-450-30VT	52-279	2900	2-6
450	SFP-450-30VT	56-296	2980	2-6
450	SFP-450-30VT	56-300	3000	2-6
450	SFP-750-70-VT	40 - 241	1480	2-10
450	SFP-750-70-VT	44 - 347	1760	2-10
500	SFP-500-70VT	40-276	1480	2-12
500	SFP-500-70VT	44-331	1760	2-10
500	SFP-500-30VT	49-273	2900	2-6
500	SFP-500-30VT	53-290	2980	2-6
500	SFP-500-30VT	54-294	3000	2-6
500	SFP-750-70-VT	40 - 236	1480	2-10
500	SFP-750-70-VT	44 - 343	1760	2-10
750	SFP-750-70-VT	40 - 320	1760	2-10
750	SFP-1500-80-VT	42 - 254	1480	2-8
750	SFP-750-70VT	40-253	1480	2-12
750	SFP-750-70VT	40-309	1760	2-10
750	SFP-750-80VT	43-306	1480	2-10
750	SFP-750-80VT	62-359	1760	2-8
750	SFP-750-30VT	72-79	2900	2
750	SFP-750-30VT	108-119	2900	3

750	SFP-750-30VT	144-159	2900	4
750	SFP-750-30VT	180-198	2900	5
750	SFP-750-30VT	216-238	2900	6
750	SFP-750-30VT	150-166	2950	4
750	SFP-750-30VT	187-207	2950	5
750	SFP-750-30VT	225-249	2950	6
750	SFP-750-30VT	83-87	3000	2
750	SFP-750-30VT	117-130	3000	3
750	SFP-750-30VT	167-173	3000	4
1000	SFP-1000-70VT	56	1480	3
1000	SFP-1000-70VT	73	1480	4
1000	SFP-1000-70VT	88	1480	5
1000	SFP-1000-70VT	112	1480	6
1000	SFP-1000-70VT	131	1480	7
1000	SFP-1000-70VT	145	1480	8
1000	SFP-1000-70VT	160	1480	9
1000	SFP-1000-70VT	187	1480	10
1000	SFP-1000-70VT	203	1480	11
1000	SFP-1000-70VT	218	1480	12
1000	SFP-1000-70VT	102	1450	6
1000	SFP-1000-70VT	117	1450	7
1000	SFP-1000-70VT	174	1450	10
1000	SFP-1000-70VT	189	1450	11
1000	SFP-1000-70VT	57	1760	2
1000	SFP-1000-70VT	80	1760	3
1000	SFP-1000-70VT	106	1760	4
1000	SFP-1000-70VT	133	1760	5
1000	SFP-1000-70VT	160	1760	6
1000	SFP-1000-70VT	189	1760	7
1000	SFP-1000-70VT	218	1760	8
1000	SFP-1000-70VT	247	1760	9

1000	SFP-1000-70VT	276	1760	10
1000	SFP-1000-70VT	58	1780	2
1000	SFP-1000-70VT	87	1780	3
1000	SFP-1000-70VT	116	1780	4
1000	SFP-1000-70VT	145	1780	5
1000	SFP-1000-70VT	175	1780	6
1000	SFP-1000-70VT	204	1780	7
1000	SFP-1000-70VT	233	1780	8
1000	SFP-1000-70VT	262	1780	9
1000	SFP-1000-70VT	291	1780	10
1000	SFP-1000-80VT	40-287	1480	2-10
1000	SFP-1000-80VT	59-343	1760	2-8
1000	SFP-1000-90VT	57-328	1480	2-7
1000	SFP-1000-90VT	85-337	1760	2-5
1000	SFP-1500-80-VT	40 - 244	1480	2-8
1000	SFP-1500-80-VT	58 - 355	1760	2-8
1000	SFP-2000-90-VT	58 - 239	1480	2-5
1250	SFP-1250-80VT	40-273	1480	2-10
1250	SFP-1250-80VT	54-330	1760	2-8
1250	SFP-1250-90VT	55-317	1480	2-7
1250	SFP-1250-90VT	80-329	1760	2-5
1250	SFP-1500-80-VT	40 - 225	1480	2-8
1250	SFP-1500-80-VT	54 - 341	1760	2-8
1250	SFP-2000-90-VT	56 - 230	1480	2-5
1250	SFP-2000-90-VT	80 - 335	1760	2-5
1500	SFP-1500-80VT	84-254	1480	4-10
1500	SFP-1500-80VT	60-76	1480	3
1500	SFP-1500-80VT	49-312	1760	2-8
1500	SFP-1500-90VT	52-309	1480	2-7
1500	SFP-1500-90VT	78-314	1760	2-5
1500	SFP-1500-80-VT	58 - 317	1760	2-8

1500	SFP-2000-90-VT	52 - 225	1480	2-5
1500	SFP-2000-90-VT	78 - 325	1760	2-5
2000	SFP-2000-90-VT	72 - 312	1760	2-5
2000	SFP-2000-90VT	71-82	1480	2
2000	SFP-2000-90VT	100-123	1480	3
2000	SFP-2000-90VT	133-165	1480	4
2000	SFP-2000-90VT	167-288	1480	5-7
2000	SFP-2000-90VT	96-118	1450	3
2000	SFP-2000-90VT	128-157	1450	4
2000	SFP-2000-90VT	72-302	1760	2-5

Trademark and/or Tradename:



Last Updated on 2020-03-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

QWZU.EX16126 - CENTRIFUGAL FIRE PUMPS, END SUCTION

Centrifugal Fire Pumps, End Suction

See General Information for Centrifugal Fire Pumps, End Suction

SAUDI FACTORY FOR FIRE EQUIPMENT FZCO

EX16126

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, UNITED ARAB EMIRATES

Fire pumps, single stage.

Rated Capacity GPM	Size In.	Model Dsg	Rated Net Pressure Range psi	Approx Speed RPM	Max Working Pressure psi
50	2.5X2	SFP-50-20 EM-2G	74-93	2900	180
50	2.5X2	SFP-50-20 EM-2G	79-99	3000	180
50	2 x 1-1/4	SFP 50-20 EM	68-87	2900	230
50	2 x 1-1/4	SFP 50-20 EH	101-129	3500	230
50	2 x 1-1/4	SFP 50-26 EM	115-140	2900	230
50	2 x 1-1/4	SFP 50-26 EH	163-206	3500	230
50	2-1/2 x 2	SFP 50-20 EHA	106-129	3500	230
50	3 x 2-1/2	SFP 50-20 EHB	108-121	3500	230
50	2-1/2 x 1-1/2	SFP 50-26 EMA	114-136	2900	230
50	2-1/2 x 1-1/2	SFP 50-42 EH	122-146	3000	230
50	2-1/2 x 1-1/2	SFP 50-40 EH	166-198	3500	230
100	2.5X2	SFP-100-20 EM-2G	72-92	2900	180
100	2.5X2	SFP-100-20 EM-2G	77-98	3000	180
100	2 x 1-1/4	SFP 100-20 EH	119	3500	230
100	2 x 1-1/4	SFP 100-26 EH	159-195	3500	230
100	2-1/2 x 2	SFP 100-50 EH	104-128	3500	230
100	2-1/2 x 1-1/2	SFP 100-26 EM	109-134	2900	230
100	2-1/2 x 1-1/2	SFP 100-42 EH	116-143	3000	230
100	2-1/2 x 1-1/2	SFP 100-40 EH	162-198	3500	230
100	3 x 2-1/2	SFP 100-20 EHB	108-24	3500	230

150	3X2	SFP-150-32 EM-2G	95-142	2900	239
150	3X2	SFP-150-32 EM-2G	102-153	3000	239
150	2.5X2	SFP-150-20 EM-2G	71-90	2900	180
150	2.5X2	SFP-150-20 EM-2G	76-97	3000	180
150	3X2.5	SFP-150-65 EM-2G	80-93	2900	180
150	3X2.5	SFP-150-65 EM-2G	86-99	3000	180
150	3 x 2-1/2	SFP 150-20 EH	108-128	3500	230
150	2-1/2 x 1-1/2	SFP 150-26 EM	124	2900	230
150	2-1/2 x 1-1/2	SFP 150-42 EH	107-135	3000	230
150	2-1/2 x 1-1/2	SFP 150-26 EH	156-191	3500	230
150	2-1/2 x 2	SFP 150-20 EHA	102-126	3500	230
200	3X2	SFP-200-32 EM-2G	89-139	2900	239
200	3X2	SFP-200-32 EM-2G	96-149	3000	239
200	3X2.5	SFP-200-65 EM-2G	79-91	2900	180
200	3X2.5	SFP-200-65 EM-2G	85-98	3000	180
200	3 x 2-1/2	SFP 200-20 EH	106-127	3500	230
200	2-1/2 x 2	SFP 200-20 EHA	96-120	3500	230
200	3 x 2-1/2	SFP 200-65 EM	115-136	2900	230
250	3 x 2-1/2	SFP 250-26 EM	113-134	2900	230
250	3 x 2-1/2	SFP 250-20 EH	103-124	3500	230
300	3 x 2-1/2	SFP 300-26 EM	110-132	2900	230
300	3 x 2-1/2	SFP 300-20 EH	101-123	3500	230
400	4 x 3	SFP 400-26 EM	110-133	2900	230
400	4 x 3	SFP 400-26 EH	191	3500	240
250	3X2	SFP-250-32 EM-2G	82-132	2900	239
250	3X2	SFP-250-32 EM-2G	89-143	3000	239
250	4X2.5	SFP-250-42 EM- 2G	87-146	2900	239
250	4X2.5	SFP-250-42 EM- 2G	94-156	3000	239
250	3X2.5	SFP-250-65 EM-2G	77-90	2900	180
250	3X2.5	SFP-250-65 EM-2G	83-97	3000	180
300	4X2.5	SFP- 300-42 EM- 2G	85-143	2900	239
300	4X2.5	SFP-300-42 EM- 2G	91-154	3000	239
300	3X2.5	SFP-300-65 EM-2G	75-90	2900	180
300	3X2.5	SFP-300-65 EM-2G	81-96	3000	180
400	5X3	SFP-400-31 EM-2G	134-218	2900	315
400	5X3	SFP-400-31 EM-2G	143-234	3000	315
400	5X3	SFP-400-25 EM- 2G	86-139	2900	235
400	5X3	SFP-400-25 EM- 2G	93-149	3000	235
400	5X4	SFP-400-54 EM-2G	137-215	2900	315

400	5X4	SFP-400-54 EM-2G	147-230	3000	315
400	4X2.5	SFP-400-42 EM- 2G	79-141	2900	239
400	4X2.5	SFP-400-42 EM- 2G	86-151	3000	239
400	4 x 3	SFP 400-32 EM	158-200	2900	250
400	4 x 3	SFP 400-80 EH	105 - 193	3500	235
450	5X3	SFP-450-31 EM-2G	131-217	2900	315
450	5X3	SFP-450-31 EM-2G	141-232	3000	315
450	5X3	SFP-450-25 EM- 2G	85-138	2900	235
450	5X3	SFP-450-25 EM- 2G	91-148	3000	235
450	5X4	SFP-450-54 EM-2G	136-214	2900	315
450	5X4	SFP-450-54 EM-2G	146-229	3000	315
450	4X2.5	SFP-450-42 EM- 2G	78-137	2900	239
450	4X2.5	SFP- 450-42 EM- 2G	84-148	3000	239
450	4 x 3	SFP 450-26 EM	109-132	2900	230
450	4 x 3	SFP 450-26 EH	188	3500	240
450	4 x 3	SFP 450-32 EM	154-198	2900	250
450	4 x 3	SFP 450-80 EH	102 - 190	3500	235
500	5X3	SFP-500-31 EM-2G	129-217	2900	315
500	5X3	SFP-500-31 EM-2G	139-232	3000	315
500	5X3	SFP-500-25 EM- 2G	83-136	2900	235
500	5X3	SFP-500-25 EM- 2G	90-146	3000	235
500	5X4	SFP-500-54 EM-2G	136-214	2900	315
500	5X4	SFP-500-54 EM-2G	146-229	3000	315
500	4X2.5	SFP-500-42 EM- 2G	143	3000	239
500	6X5	SFP-500-20 EM-2G	68-84	2900	175
500	6X5	SFP-500-20 EM-2G	73-90	3000	175
500	6X5	SFP-500-20 EH-2G	100-121	3500	210
500	6X5	SFP-500-20 EH-2G	105-128	3600	210
500	6X5	SFP-500-26 EM-2G	118-136	2900	230
500	6X5	SFP-500-26 EM-2G	126-146	3000	230
500	6X5	SFP-500-26 EH-2G	168-199	3500	290
500	6X5	SFP-500-26 EH-2G	178-210	3600	290
500	4 x 3	SFP 500-26 EM	108-131	2900	230
500	4 x 3	SFP 500-26 EH	185	3500	240
500	4 x 3	SFP 500-32 EM	149-194	2900	250
500	4 x 3	SFP 500-80 EH	99 - 188	3500	235
500	5 x 4	SFP 500-12 EM	111 - 133	2900	225
500	5 x 4	SFP 500-13 EM	122 - 210	2900	245
750	5 x 4	SFP 750-26 EM	102 - 127	2900	225

750	5 x 4	<i>SFP 750-32 EM</i>	122 - 207	2900	245
750	5X4	<i>SFP-750-54 EM-2G</i>	131-208	2900	315
750	5X4	<i>SFP-750-54 EM-2G</i>	141-223	3000	315
750	6X5	<i>SFP-750-20 EM-2G</i>	65-81	2900	175
750	6X5	<i>SFP-750-20 EM-2G</i>	70-87	3000	175
750	6X5	<i>SFP-750-20 EH-2G</i>	97-120	3500	210
750	6X5	<i>SFP-750-20 EH-2G</i>	103-127	3600	210
750	6X5	<i>SFP-750-26 EM-2G</i>	116-135	2900	230
750	6X5	<i>SFP-750-26 EM-2G</i>	125-145	3000	230
750	6X5	<i>SFP-750-26 EH-2G</i>	167-198	3500	290
750	6X5	<i>SFP-750-26 EH-2G</i>	177-210	3600	290
1000	5X4	<i>SFP-1000-54 EM-2G</i>	122-200	2900	315
1000	5X4	<i>SFP-1000-54 EM-2G</i>	132-215	3000	239
1000	6X5	<i>SFP-1000-20 EM-2G</i>	60-78	2900	175
1000	6X5	<i>SFP-1000-20 EM-2G</i>	65-84	3000	175
1000	6X5	<i>SFP-1000-20 EH-2G</i>	92-116	3500	210
1000	6X5	<i>SFP-1000-20 EH-2G</i>	98-123	3600	210
1000	6X5	<i>SFP-1000-26 EM-2G</i>	113-133	2900	230
1000	6X5	<i>SFP-1000-26 EM-2G</i>	121-143	3000	230
1000	6X5	<i>SFP-1000-26 EH-2G</i>	164-196	3500	290
1000	6X5	<i>SFP-1000-26 EH-2G</i>	174-208	3600	290

Marking: Tradename &/or trademark "SFFECO", 

Last Updated on 2018-08-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

QXJY.EX15409 - CENTRIFUGAL FIRE PUMPS, SPLIT CASE

Centrifugal Fire Pumps, Split Case

See General Information for Centrifugal Fire Pumps, Split Case

SAUDI FACTORY FOR FIRE EQUIPMENT CO
2ND INDUSTRIAL AREA
AL-KHARJ RD
PO BOX 58469
RIYADH, 11515 SAUDI ARABIA
Fire pumps, single stage

EX15409

Rated Capacity (gpm)	Size (in.)	Model Dsg	Rated Net Pressure Range (psi)	Approx Speed (rpm)	Max Working Pressure (psi)
500	5 x 6	SFS 125/38	45-67	1450	290
750	5 x 6	SFS 125/38	70-100	1760	290
750	5 x 8	SFS 125/48	88-118	1450	290
750	5 x 8	SFS 125/48	130-178	1760	290
750	6 x 8	SFS 150/48	88-115	1450	290
1000	6 x 8	SFS 150/38	45-67	1450	290
1000	6 x 8	SFS 150/48	86-114	1450	290
1000	6 x 8	SFS 150/48	127-168	1760	290
1000	6 x 8	SFS 150/56	77-88	1100	290
1000	6 x 8	SFS 150/56	142-155	1450	290
1250	6 x 8	SFS 150/38	70-100	1760	290
1250	6 x 8	SFS 150/48	85-112	1450	290
1250	6 x 8	SFS 150/48	124-166	1760	290
1250	6 x 8	SFS 150/56	142-153	1450	290
1250	6 x 8	SFS 150/56	75-86	1100	290
1500	6 x 8	SFS 150/48	121-162	1760	290
1500	6 x 8	SFS 150/56	72-83	1100	290
1500	6 x 8	SFS 150/56	138-151	1450	290
1500	8 x 12	SFS 200/54	67-79	1100	290
2000	8 x 12	SFS 200/54	65-77	1100	290

2000	8 x 12	SFS 200/54	123-139	1450	290
2500	8 x 12	SFS 200/54	120-136	1450	290

Last Updated on 2013-09-11

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

QXJY.EX16127 - CENTRIFUGAL FIRE PUMPS, SPLIT CASE

Centrifugal Fire Pumps, Split Case

See General Information for Centrifugal Fire Pumps, Split Case

SAUDI FACTORY FOR FIRE EQUIPMENT FZCO
S-10833
JEBEL ALI FREE ZONE
AUTHORITY SOUTH 1
DUBAI, UNITED ARAB EMIRATES
Fire pumps, single stage

EX16127

Rated Capacity (gpm)	Size (in.)	Model Dsg	Rated Net Pressure Range (psi)	Approx Speed (rpm)	Max Working Pressure (psi)
150	6x4	SFP150-25SH	114-208	3500	300
150	6x4	SFP150-25SH	121-220	3600	300
150	6x4	SFP150-40SM	206-289	2900	385
150	6x4	SFP150-40SM	221-310	3000	385
150	6x4	SFP150-SN31SH	226-316	3500	405
150	6x4	SFP150-SN31SH	239-334	3600	405
150	5x3	SFP150-28SM	101-156	2900	239
150	5x3	SFP150-28SM	108-167	3000	239
150	5x3	SFP150-35SM	125-224	2900	318
150	5x3	SFP150-35SM	133-240	3000	318
200	6x4	SFP200-25SH	114-207	3500	300
200	6x4	SFP200-25SH	121-219	3600	300
200	6x4	SFP200-40SM	206-289	2900	385
200	6x4	SFP200-40SM	220-309	3000	385
200	6x4	SFP200-SN31SH	226-317	3500	405
200	6x4	SFP200-SN31SH	239-335	3600	405
200	5x3	SFP200-28SM	101-156	2900	239
200	5x3	SFP200-28SM	108-167	3000	239
200	5x3	SFP200-35SM	124-224	2900	318
200	5x3	SFP200-35SM	133-240	3000	318

250	6x4	<i>SFP250-25SH</i>	114-207	3500	300
250	6x4	<i>SFP250-25SH</i>	121-219	3600	300
250	6x4	<i>SFP250-40SM</i>	206-288	2900	385
250	6x4	<i>SFP250-40SM</i>	220-308	3000	385
250	6x4	<i>SFP250-SN31SH</i>	226-317	3500	405
250	6x4	<i>SFP250-SN31SH</i>	239-335	3600	405
250	5x3	<i>SFP250-28SM</i>	101-156	2900	239
250	5x3	<i>SFP250-28SM</i>	108-167	3000	239
250	5x3	<i>SFP250-35SM</i>	123-223	2900	318
250	5x3	<i>SFP250-35SM</i>	132-239	3000	318
300	5x3	<i>SFP300-35SM</i>	122-222	2900	319
300	5x3	<i>SFP300-35SM</i>	131-237	3000	319
300	6x4	<i>SFP300-25SH</i>	114-206	3500	300
300	6x4	<i>SFP300-25SH</i>	121-219	3600	300
300	6x4	<i>SFP300-40SM</i>	206-286	2900	385
300	6x4	<i>SFP300-40SM</i>	220-307	3000	385
300	6x4	<i>SFP300-SN31SH</i>	226-316	3500	405
300	6x4	<i>SFP300-SN31SH</i>	239-334	3600	405
300	5x3	<i>SFP300-28SM</i>	100-156	2900	239
300	5x3	<i>SFP300-28SM</i>	107-167	3000	239
400	5x3	<i>SFP400-35SM</i>	120-219	2900	319
400	5x3	<i>SFP400-35SM</i>	129-234	3000	319
400	5x3	<i>SFP400-28SM</i>	98-155	2900	239
400	5x3	<i>SFP400-28SM</i>	105-166	3000	239
400	6x4	<i>SFP400-25SH</i>	114-206	3500	300
400	6x4	<i>SFP400-25SH</i>	120-218	3600	300
400	6x4	<i>SFP400-40SM</i>	206-285	2900	385
400	6x4	<i>SFP400-40SM</i>	221-305	3000	385
400	6x4	<i>SFP400-SN31SH</i>	225-314	3500	405
400	6x4	<i>SFP400-SN31SH</i>	238-332	3600	405
450	6x4	<i>SFP 450-37SM-2G</i>	220-293	2900	410
450	6x4	<i>SFP 450-37SM-2G</i>	236-315	3000	410
450	5x3	<i>SFP450-28SM</i>	96-155	2900	239
450	5x3	<i>SFP450-28SM</i>	104-166	3000	239
450	6x4	<i>SFP450-25SH</i>	114-206	3500	300
450	6x4	<i>SFP450-25SH</i>	120-218	3600	300
450	6x4	<i>SFP450-40SM</i>	205-284	2900	385
450	6x4	<i>SFP450-40SM</i>	220-304	3000	385
450	6x4	<i>SFP450-SN31SH</i>	224-313	3500	405

450	6x4	<i>SFP450-SN31SH</i>	237-331	3600	405
500	6x4	<i>SFP 500-37SM-2G</i>	216-296	2900	410
500	6x4	<i>SFP 500-37SM-2G</i>	233-314	3000	410
500	5x3	<i>SFP500-37SM</i>	134-233	2900	290
500	6x4	<i>SFP500-31SM</i>	137-203	2900	220
500	5x3	<i>SFP500-28SM</i>	94-154	2900	239
500	5x3	<i>SFP500-28SM</i>	102-165	3000	239
500	6x4	<i>SFP500-25SH</i>	113-205	3500	300
500	6x4	<i>SFP500-25SH</i>	120-217	3600	300
500	6x4	<i>SFP500-32SM</i>	119-198	2900	290
500	6x4	<i>SFP500-32SM</i>	128-212	3000	290
500	6x4	<i>SFP500-40SM</i>	204-284	2900	385
500	6x4	<i>SFP500-40SM</i>	219-304	3000	385
500	6x4	<i>SFP500-SN31SH</i>	224-312	3500	405
500	6x4	<i>SFP500-SN31SH</i>	237-330	3600	405
750	6x4	<i>SFP 750-37SM-2G</i>	202-276	2900	410
750	6x4	<i>SFP 750-37SM-2G</i>	218-298	3000	410
750	6x4	<i>SFP750-31SM</i>	131-201	2900	220
750	6x4	<i>SFP750-25SH</i>	106-199	3500	300
750	6x4	<i>SFP750-25SH</i>	113-211	3600	300
750	6x4	<i>SFP750-32SM</i>	111-194	2900	290
750	6x4	<i>SFP750-32SM</i>	120-208	3000	290
750	8x5	<i>SFP750-29SM</i>	148-182	2900	268
750	8x5	<i>SFP750-29SM</i>	159-196	3000	268
750	6x4	<i>SFP750-40SM</i>	199-281	2900	385
750	6x4	<i>SFP750-40SM</i>	214-301	3000	385
750	6x4	<i>SFP750-SN31SH</i>	218-309	3500	405
750	6x4	<i>SFP750-SN31SH</i>	231-327	3600	405
750	8x5	<i>SFP750-12SH</i>	148-266	3500	362
750	8x5	<i>SFP750-12SH</i>	157-281	3600	362
750	6x4	<i>SFP750-EL31SH</i>	190-290	3500	377
750	6x4	<i>SFP750-EL31SH</i>	201-306	3600	377
1000	8x5	<i>SFP 1000-36SM-2G</i>	180-290	2900	405
1000	8x5	<i>SFP 1000-36SM-2G</i>	194-310	3000	405
1000	6x4	<i>SFP1000-31SM</i>	134-195	2900	220
1000	8x5	<i>SFP1000-29SM</i>	143-181	2900	268
1000	8x5	<i>SFP1000-29SM</i>	154-194	3000	268
1000	8x5	<i>SFP1000-30SM</i>	98-172	2900	275
1000	8x5	<i>SFP1000-30SM</i>	106-185	3000	275

1000	6x4	<i>SFP1000-40SM</i>	191-272	2900	385
1000	6x4	<i>SFP1000-40SM</i>	206-292	3000	385
1000	8x5	<i>SFP1000-12SH</i>	146-264	3500	362
1000	8x5	<i>SFP1000-12SH</i>	155-280	3600	362
1000	8x5	<i>SFP1000-15SH</i>	152-205	3500	300
1000	8x5	<i>SFP1000-15SH</i>	160-217	3600	300
1000	8x5	<i>SFP1000-36SM</i>	163-278	2900	375
1000	8x5	<i>SFP1000-36SM</i>	175-298	3000	375
1000	6x4	<i>SFP1000-EL31SH</i>	187-289	3500	377
1000	6x4	<i>SFP1000-EL31SH</i>	199-306	3600	377
1250	8x5	<i>SFP 1250-36SM-2G</i>	171-281	2900	405
1250	8x5	<i>SFP 1250-36SM-2G</i>	184-302	3000	405
1250	8x6	<i>SFP 1250-29SM-2G</i>	95-156	2900	250
1250	8x6	<i>SFP 1250-29SM-2G</i>	102-167	3000	250
1250	8x5	<i>SFP1250-29SM</i>	137-177	2900	268
1250	8x5	<i>SFP1250-29SM</i>	148-191	3000	268
1250	8x5	<i>SFP1250-30SM</i>	94-170	2900	275
1250	8x5	<i>SFP1250-30SM</i>	101-182	3000	275
1250	8x5	<i>SFP1250-12SH</i>	207-264	3500	362
1250	8x5	<i>SFP1250-12SH</i>	219-279	3600	362
1250	8x6	<i>SFP1250-15SH</i>	150-205	3500	300
1250	8x6	<i>SFP1250-15SH</i>	159-217	3600	300
1250	8x5	<i>SFP1250-36SM</i>	155-278	2900	375
1250	8x5	<i>SFP1250-36SM</i>	168-298	3000	375
1250	6x4	<i>SFP1250-EL31SH</i>	178-287	3500	377
1250	6x4	<i>SFP1250-EL31SH</i>	190-304	3600	377
1500	8x6	<i>SFP 1500-29SM-2G</i>	100-155	2900	250
1500	8x6	<i>SFP 1500-29SM-2G</i>	105-167	3000	250
1500	12x10	<i>SFP 1500-61SL5-2G</i>	99-164	1480	260
1500	12x10	<i>SFP 1500-61SL5-2G</i>	101-168	1500	260
1500	12x10	<i>SFP 1500-61SL6-2G</i>	142-168	1760	260
1500	12x10	<i>SFP 1500-61SL6-2G</i>	149-176	1800	260
1500	8x5	<i>SFP1500-30SM</i>	88-167	2900	239
1500	8x5	<i>SFP1500-30SM</i>	95-179	3000	239
1500	8x6	<i>SFP1500-15SH</i>	149-207	3500	300
1500	8x6	<i>SFP1500-15SH</i>	158-218	3600	300
1500	8x5	<i>SFP1500-36SM</i>	153-275	2900	375
1500	8x5	<i>SFP1500-36SM</i>	164-295	3000	375
2000	8x6	<i>SFP2000-15SH</i>	145-203	3500	300

2000	8x6	<i>SFP2000-15SH</i>	154-215	3600	300
2000	8x6	<i>SFP 2000-29SM-2G</i>	95-152	2900	250
2000	8x6	<i>SFP 2000-29SM-2G</i>	103-163	3000	250
2000	12x10	<i>SFP 2000-61SL5-2G</i>	94-162	1480	260
2000	12x10	<i>SFP 2000-61SL5-2G</i>	97-166	1500	260
2000	12x10	<i>SFP 2000-61SL6-2G</i>	136-165	1760	260
2000	12x10	<i>SFP 2000-61SL6-2G</i>	142-173	1800	260
2500	8x6	<i>SFP 2500-29SM-2G</i>	89-145	2900	250
2500	8x6	<i>SFP 2500-29SM-2G</i>	95-156	3000	250
2500	12x10	<i>SFP 2500-61SL5-2G</i>	89-158	1480	260
2500	12x10	<i>SFP 2500-61SL5-2G</i>	92-162	1500	260
2500	12x10	<i>SFP 2500-61SL6-2G</i>	132-163	1760	260
2500	12x10	<i>SFP 2500-61SL6-2G</i>	139-170	1800	260
3000	12x10	<i>SFP 3000-61SL5-2G</i>	104-153	1480	260
3000	12x10	<i>SFP 3000-61SL5-2G</i>	108-157	1500	260
3000	12x10	<i>SFP 3000-61SL6-2G</i>	125-156	1760	260
3000	12x10	<i>SFP 3000-61SL6-2G</i>	131-164	1800	260
3500	12x10	<i>SFP 3500-61SL5-2G</i>	103-144	1485	260
3500	12x10	<i>SFP 3500-61SL5-2G</i>	106-148	1500	260
3500	12x10	<i>SFP 3500-61SL6-2G</i>	119-148	1760	260
3500	12x10	<i>SFP 3500-61SL6-2G</i>	125-156	1800	260

Marking: Tradename &/or trademark "SFFECO", 

Last Updated on 2018-08-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

QXXW.EX26983 - CENTRIFUGAL FIRE PUMPS, VERTICAL TURBINE

Centrifugal Fire Pumps, Vertical Turbine

See General Information for Centrifugal Fire Pumps, Vertical Turbine

SAUDI FACTORY FOR FIRE EQUIPMENT FZCO

EX26983

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, UNITED ARAB EMIRATES

Rated Capacity gpm	Model Dsg	Rated Net Pressure Range psi	Approx Speed rpm	Stages
200	SFP-200-70VT	40-289	1480	2-12
200	SFP-200-70VT	48-348	1760	2-10
200	SFP-200-30VT	60-305	2900	2-6
200	SFP-200-30VT	63-323	2980	2-6
200	SFP-200-30VT	64-327	3000	2-6
200	SFP-750-70-VT	40 - 248	1480	2-10
250	SFP-250-70VT	40-290	1480	2-12
250	SFP-250-70VT	48-345	1760	2-10
250	SFP-250-30VT	60-299	2900	2-6
250	SFP-250-30VT	63-317	2980	2-6
250	SFP-250-30VT	64-321	3000	2-6
250	SFP-750-70-VT	40 - 248	1480	2-10
250	SFP-750-70-VT	48 - 351	1760	2-10
300	SFP-300-70VT	40-290	1480	2-12
300	SFP-300-70VT	47-341	1760	2-10
300	SFP-300-30VT	58-295	2900	2-6
300	SFP-300-30VT	61-312	2980	2-6
300	SFP-300-30VT	62-316	3000	2-6
300	SFP-750-70-VT	40 - 247	1480	2-10
300	SFP-750-70-VT	48 - 351	1760	2-10
400	SFP-400-70VT	40-283	1480	2-12
400	SFP-400-70VT	46-336	1760	2-10

400	<i>SFP-400-30VT</i>	54-285	2900	2-6
400	<i>SFP-400-30VT</i>	57-302	2980	2-6
400	<i>SFP-400-30VT</i>	58-306	3000	2-6
400	<i>SFP-750-70-VT</i>	40 - 244	1480	2-10
400	<i>SFP-750-70-VT</i>	46 - 349	1760	2-10
450	<i>SFP-450-70VT</i>	40-279	1480	2-12
450	<i>SFP-450-70VT</i>	45-333	1760	2-10
450	<i>SFP-450-30VT</i>	52-279	2900	2-6
450	<i>SFP-450-30VT</i>	56-296	2980	2-6
450	<i>SFP-450-30VT</i>	56-300	3000	2-6
450	<i>SFP-750-70-VT</i>	40 - 241	1480	2-10
450	<i>SFP-750-70-VT</i>	44 - 347	1760	2-10
500	<i>SFP-500-70VT</i>	40-276	1480	2-12
500	<i>SFP-500-70VT</i>	44-331	1760	2-10
500	<i>SFP-500-30VT</i>	49-273	2900	2-6
500	<i>SFP-500-30VT</i>	53-290	2980	2-6
500	<i>SFP-500-30VT</i>	54-294	3000	2-6
500	<i>SFP-750-70-VT</i>	40 - 236	1480	2-10
500	<i>SFP-750-70-VT</i>	44 - 343	1760	2-10
750	<i>SFP-750-70-VT</i>	40 - 320	1760	2-10
750	<i>SFP-1500-80-VT</i>	42 - 254	1480	2-8
750	<i>SFP-750-70VT</i>	40-253	1480	2-12
750	<i>SFP-750-70VT</i>	40-309	1760	2-10
750	<i>SFP-750-80VT</i>	43-306	1480	2-10
750	<i>SFP-750-80VT</i>	62-359	1760	2-8
750	<i>SFP-750-30VT</i>	72-79	2900	2
750	<i>SFP-750-30VT</i>	108-119	2900	3
750	<i>SFP-750-30VT</i>	144-159	2900	4
750	<i>SFP-750-30VT</i>	180-198	2900	5
750	<i>SFP-750-30VT</i>	216-238	2900	6
750	<i>SFP-750-30VT</i>	150-166	2950	4
750	<i>SFP-750-30VT</i>	187-207	2950	5
750	<i>SFP-750-30VT</i>	225-249	2950	6
750	<i>SFP-750-30VT</i>	83-87	3000	2
750	<i>SFP-750-30VT</i>	117-130	3000	3
750	<i>SFP-750-30VT</i>	167-173	3000	4
1000	<i>SFP-1000-70VT</i>	56.00	1480	3
1000	<i>SFP-1000-70VT</i>	73.00	1480	4
1000	<i>SFP-1000-70VT</i>	88.00	1480	5

1000	SFP-1000-70VT	112.00	1480	6
1000	SFP-1000-70VT	131.00	1480	7
1000	SFP-1000-70VT	145.00	1480	8
1000	SFP-1000-70VT	160.00	1480	9
1000	SFP-1000-70VT	187.00	1480	10
1000	SFP-1000-70VT	203.00	1480	11
1000	SFP-1000-70VT	218.00	1480	12
1000	SFP-1000-70VT	102.00	1450	6
1000	SFP-1000-70VT	117.00	1450	7
1000	SFP-1000-70VT	174.00	1450	10
1000	SFP-1000-70VT	189.00	1450	11
1000	SFP-1000-70VT	57	1760	2
1000	SFP-1000-70VT	80	1760	3
1000	SFP-1000-70VT	106	1760	4
1000	SFP-1000-70VT	133	1760	5
1000	SFP-1000-70VT	160	1760	6
1000	SFP-1000-70VT	189	1760	7
1000	SFP-1000-70VT	218	1760	8
1000	SFP-1000-70VT	247	1760	9
1000	SFP-1000-70VT	276	1760	10
1000	SFP-1000-70VT	58	1780	2
1000	SFP-1000-70VT	87	1780	3
1000	SFP-1000-70VT	116	1780	4
1000	SFP-1000-70VT	145	1780	5
1000	SFP-1000-70VT	175	1780	6
1000	SFP-1000-70VT	204	1780	7
1000	SFP-1000-70VT	233	1780	8
1000	SFP-1000-70VT	262	1780	9
1000	SFP-1000-70VT	291	1780	10
1000	SFP-1000-80VT	40-287	1480	2-10
1000	SFP-1000-80VT	59-343	1760	2-8
1000	SFP-1000-90VT	57-328	1480	2-7
1000	SFP-1000-90VT	85-337	1760	2-5
1000	SFP-1500-80-VT	40 - 244	1480	2-8
1000	SFP-1500-80-VT	58 - 355	1760	2-8
1000	SFP-2000-90-VT	58 - 239	1480	2-5
1250	SFP-1250-80VT	40-273	1480	2-10
1250	SFP-1250-80VT	54-330	1760	2-8
1250	SFP-1250-90VT	55-317	1480	2-7

1250	<i>SFP-1250-90VT</i>	80-329	1760	2-5
1250	<i>SFP-1500-80-VT</i>	40 - 225	1480	2-8
1250	<i>SFP-1500-80-VT</i>	54 - 341	1760	2-8
1250	<i>SFP-2000-90-VT</i>	56 - 230	1480	2-5
1250	<i>SFP-2000-90-VT</i>	80 - 335	1760	2-5
1500	<i>SFP-1500-80VT</i>	84-254	1480	4-10
1500	<i>SFP-1500-80VT</i>	60-76	1480	3
1500	<i>SFP-1500-80VT</i>	49-312	1760	2-8
1500	<i>SFP-1500-90VT</i>	52-309	1480	2-7
1500	<i>SFP-1500-90VT</i>	78-314	1760	2-5
1500	<i>SFP-1500-80-VT</i>	58 - 317	1760	2-8
1500	<i>SFP-2000-90-VT</i>	52 - 225	1480	2-5
1500	<i>SFP-2000-90-VT</i>	78 - 325	1760	2-5
2000	<i>SFP-2000-90-VT</i>	72 - 312	1760	2-5
2000	<i>SFP-2000-90VT</i>	71-82	1480	2
2000	<i>SFP-2000-90VT</i>	100-123	1480	3
2000	<i>SFP-2000-90VT</i>	133-165	1480	4
2000	<i>SFP-2000-90VT</i>	167-288	1480	5-7
2000	<i>SFP-2000-90VT</i>	96-118	1450	3
2000	<i>SFP-2000-90VT</i>	128-157	1450	4
2000	<i>SFP-2000-90VT</i>	72-302	1760	2-5

Trademark and/or Tradename: "SFFECO",



Last Updated on 2018-08-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

EEEV.MH60783 - ABOVEGROUND FLAMMABLE-LIQUID TANKS

Aboveground Flammable-liquid Tanks

See General Information for Aboveground Flammable-liquid Tanks

SAUDI FACTORY FOR FIRE EQUIPMENT FZCO

MH60783

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, UNITED ARAB EMIRATES

Aboveground tanks for flammable liquids

Aboveground tanks for flammable liquids on supports

Secondary containment aboveground tanks for flammable liquids

Secondary containment aboveground tanks for flammable liquids on supports

Trademark and/or Tradename: "SFFECO" , 

Last Updated on 2018-08-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

QYLU.EX16109 - INTERNAL-COMBUSTION ENGINES FOR DRIVING STATIONARY FIRE PUMPS

Internal-combustion Engines for Driving Stationary Fire Pumps

See General Information for Internal-combustion Engines for Driving Stationary Fire Pumps

SAUDI FACTORY FOR FIRE EQUIPMENT FZCO

EX16109

S-10833

JEBEL ALI FREE ZONE

AUTHORITY SOUTH 1

DUBAI, UNITED ARAB EMIRATES

DIESEL ENGINES RATED AT SPECIFIC SPEEDS

Model	No. of Cylinders	Rated HP	Rated Speed (rpm)
FC3015	3	15	2900
FC3020	3	20	2900
FC4040	4	30	2900
FC4060	4	57	2900
FC4085	4	71	2900
FC6130	6	118	2900
FC6150	6	128	2900
FC6195	6	186	2900
FC6250	6	209	2900
FC6300	6	259	2900

Trademark and/or Tradename: "SFFECO", , 

Last Updated on 2018-08-21

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

